

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Product name	: H2S - S-CONC TOILET CLEANER
UFI	: KGW5-D09M-500E-94Y9
Product code	: H2S
Type of product	: Technical product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Superconcentrated Toilet Cleaner

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### SELDEN RESEARCH LIMITED

STADEN LANE  
BUXTON  
DERBYSHIRE  
SK17 9RZ  
UNITED KINGDOM

Tel: 01298 26226 Fax: 01298 26540  
Email: safety@selden.co.uk

##### SELDEN EUROPE B.V.

WATERMOLEN 13  
6229 PM  
MAASTRICHT  
NEDERLAND

Tel: 00 32 16 53 07 96  
Email: info@selden.eu

#### 1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226

Tel: 00 32 16 53 07 96

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1A H314  
Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

Contains

: Quaternary ammonium compounds, tallow trimethyl, chlorides

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.  
 P280 - Wear face protection.  
 P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.  
 Rinse skin with water/shower.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quaternary ammonium compounds, tallow trimethyl, chlorides	(CAS-No.) 8030-78-2 (EC-No.) 232-447-4	10 – 15	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Aquatic Acute 1, H400
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	5 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Sodium xylenesulphonate	(CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56	5 – 10	Eye Irrit. 2, H319
Citric acid	(CAS-No.) 77-92-9 (EC-No.) 201-069-1 (REACH-no) 01-2119457026-42	5 – 10	Eye Irrit. 2, H319

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.  
 First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
 First-aid measures after skin contact : Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention.  
 First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.  
 First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.  
 Symptoms/effects after skin contact : Burns.  
 Symptoms/effects after eye contact : Causes serious eye damage.  
 Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Corrosive vapours.

#### 5.3. Advice for firefighters

No additional information available

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.  
Hygiene measures : Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.  
Storage conditions : Keep container closed when not in use.  
Incompatible products : Oxidizing agent. Strong acids. Strong bases.  
Incompatible materials : Metals.  
Special rules on packaging : Keep only in original container.

#### 7.3. Specific end use(s)

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Isopropyl alcohol
OEL TWA [2]	200 ppm
OEL STEL [ppm]	400 ppm
Notes (IE)	Sk
Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Third edition, 2018). HSE

## 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available

## 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



## 8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

Skin and body protection:

Not required for normal conditions of use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Hand protection:

Protective gloves

### Other skin protection

#### Materials for protective clothing:

Not required for normal conditions of use

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Not required for normal conditions of use

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: dark blue.
Odour	: Floral.
Odour threshold	: No data available
pH	: 1.9
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.02
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

metals.

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns. pH: 1.9
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: 1.9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

#### propan-2-ol; isopropyl alcohol; isopropanol

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

#### propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LC50 - Fish [1]	9640 mg/l
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 1000 mg/l

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

**Sodium xylenesulphonate (1300-72-7)**

EC50 - Other aquatic organisms [1]	> 1020 mg/l waterflea
------------------------------------	-----------------------

**Citric acid (77-92-9)**

LC50 - Fish [1]	> 100 mg/l
EC50 - Other aquatic organisms [1]	85 mg/l waterflea

**12.2. Persistence and degradability**

No additional information available

**12.3. Bioaccumulative potential****propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)**

Partition coefficient n-octanol/water (Log Pow)	0.05
---	------

**Sodium xylenesulphonate (1300-72-7)**

Partition coefficient n-octanol/water (Log Pow)	-3.12
---	-------

**Citric acid (77-92-9)**

Partition coefficient n-octanol/water (Log Pow)	-1.72
---	-------

**12.4. Mobility in soil**

No additional information available

**12.5. Results of PBT and vPvB assessment**

No additional information available

**12.6. Other adverse effects**

No additional information available

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

No additional information available

**SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

**14.1 UN number**

UN-No. (ADR)	: UN 1760
UN-No. (IMDG)	: UN 1760
UN-No. (IATA)	: UN 1760

**14.2. UN proper shipping name**

Proper Shipping Name (ADR)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Corrosive liquid, n.o.s.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport document description (ADR)	: UN 1760 CORROSIVE LIQUID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS), 8, III, (E)
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, III
Transport document description (IATA)	: UN 1760 Corrosive liquid, n.o.s., 8, III

## 14.3. Transport hazard class(es)

**ADR**

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8

**IMDG**

Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8

**IATA**

Transport hazard class(es) (IATA)	: 8
Danger labels (IATA)	: 8



## 14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III

## 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

## 14.6. Special precautions for user

**Overland transport**

Classification code (ADR)	: C9
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates : 

Tunnel restriction code (ADR) : E  
 EAC code : 2X  
 APP code : B

**Transport by sea**

Special provisions (IMDG) : 223, 274  
 Limited quantities (IMDG) : 5 L  
 Excepted quantities (IMDG) : E1  
 Packing instructions (IMDG) : P001, LP01  
 IBC packing instructions (IMDG) : IBC03  
 Tank instructions (IMDG) : T7  
 Tank special provisions (IMDG) : TP1, TP28  
 EmS-No. (Fire) : F-A  
 EmS-No. (Spillage) : S-B  
 Stowage category (IMDG) : A

**Air transport**

PCA Excepted quantities (IATA) : E1  
 PCA Limited quantities (IATA) : Y841  
 PCA limited quantity max net quantity (IATA) : 1L  
 PCA packing instructions (IATA) : 852  
 PCA max net quantity (IATA) : 5L  
 CAO packing instructions (IATA) : 856  
 CAO max net quantity (IATA) : 60L  
 Special provisions (IATA) : A3  
 ERG code (IATA) : 8L

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

IBC code : Not applicable.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

**15.1.2. National regulations**

No additional information available

**15.2. Chemical safety assessment**

No additional information available

**SECTION 16: Other information****Full text of H- and EUH-statements:**

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1A	H314	On basis of test data
---------------	------	-----------------------

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.